

**TABLE NO.1  
VITAL STATISTICS BY DISTRICT (I) RURAL AREAS**

( YEAR -2007 )

PRIORITY -1

DISTRICT	POPULATION LAST CENSUS 2001	NO. OF REGISTRATION UNITS	NO. OF MONTHLY RETURNS DUE	NO. OF MONTHLY RETURNS DUE RECEIVED	ESTIMATED MID- YEAR POPULATION	ADJUSTED FOR INCOMPLETE RECEIPTS OF RETURNS
1	2	3	4	5	6	7
NORTH GOA	4,16,824	121	1425	0	4,01,526	0
SOUTH GOA	2,60,267	69	828	0	2,66,715	0
GOA STATE	6,77,091	190	2253	0	6,68,241	0

**TABLE NO.1  
VITAL STATISTICS BY DISTRICT (II) URBAN AREAS ( YEAR -2007 )**

( YEAR -2007 )

PRIORITY -1

DISTRICT	POPULATION	NO. OF	NO. OF	NO. OF	ESTIMATED MID-	ADJUSTED FOR
	LAST CENSUS	REGISTRATION	MONTHLY	MONTHLY	YEAR	INCOMPLETE
	2001	UNITS	RETURNS DUE	RETURNS DUE	POPULATION	RECEIPTS
1	2	3	4	5	6	7
<b>NORTH GOA</b>	341749	7	84	0	421119	0
<b>SOUTH GOA</b>	328828	7	84	0	379856	0
<b>GOA STATE</b>	670577	14	168	0	800975	0

**Table No. 2**  
**Vital Statistics by sex ( Year -2007 )**

District	Urban/ Rural	Live Births			Deaths			Infant Deaths			Maternal Deaths	Still Birth		
		Male	Female	Total	Male	Female	Total	Male	Female	Total		Male	Female	Total
1	2	3	4	5	6	7	8	9	10	11	12	13	14	15
	Urban	3061	2912	5973	987	588	1575	4	7	11	0	9	8	17
<b>North Goa</b>	Rural	3869	3597	7466	3953	2420	6373	106	90	196	2	104	98	202
	<b>Total</b>	<b>6930</b>	<b>6509</b>	<b>13439</b>	<b>4940</b>	<b>3008</b>	<b>7948</b>	<b>110</b>	<b>97</b>	<b>207</b>	<b>2</b>	<b>113</b>	<b>106</b>	<b>219</b>
	Urban	4125	3935	8060	1327	787	2114	5	2	7	0	10	9	19
<b>South Goa</b>	Rural	445	452	897	1191	931	2122	3	1	4	0	1	0	1
	<b>Total</b>	<b>4570</b>	<b>4387</b>	<b>8957</b>	<b>2518</b>	<b>1718</b>	<b>4236</b>	<b>8</b>	<b>3</b>	<b>11</b>	<b>0</b>	<b>11</b>	<b>9</b>	<b>20</b>
	Urban	<b>7186</b>	<b>6847</b>	<b>14033</b>	<b>2314</b>	<b>1375</b>	<b>3689</b>	<b>9</b>	<b>9</b>	<b>18</b>	<b>0</b>	<b>19</b>	<b>17</b>	<b>36</b>
<b>Goa State</b>	Rural	<b>4314</b>	<b>4049</b>	<b>8363</b>	<b>5144</b>	<b>3351</b>	<b>8495</b>	<b>109</b>	<b>91</b>	<b>200</b>	<b>2</b>	<b>105</b>	<b>98</b>	<b>203</b>
	<b>Total</b>	<b>11500</b>	<b>10896</b>	<b>22396</b>	<b>7458</b>	<b>4726</b>	<b>12184</b>	<b>118</b>	<b>100</b>	<b>218</b>	<b>2</b>	<b>124</b>	<b>115</b>	<b>239</b>

**TABLE NO. 3  
VITAL RATES BY DISTRICTS ( YEAR -2007)**

	RURAL			URBAN		
DISTRICT	BIRTH RATE	DEATH RATE	INFANT RATE	BIRTH RATE	DEATH RATE	INFANT RATE
1	2	3	4	5	6	7
NORTH GOA	18.59	15.87	26.25	14.18	3.74	1.84
SOUTH GOA	3.36	7.96	4.46	21.22	5.57	0.87
GOA STATE	12.51	12.71	23.91	17.52	4.61	1.28

**TABLE NO. 4**  
**VITAL STATISTICS FOR TOWNS WITH POPULATION 30,000 AND ABOVE ( YEAR -2007)**

TOWNS	POPULATION 2001 CENSUS INCLUDING URBAN AGGLOMERATION	ESTIMATED MID-YEAR POPULATION	POPULATION ADJUSTED FOR INCOMPLETE RECEIPTS OF RETURN	NO. OF VITAL EVENTS				VITAL RATE			
				LIVE BIRTHS	DEATHS	INFANT DEATHS	MATERNAL DEATHS	BIRTH RATE	DEATHS RATE	INFANT DEATH RATE	MATERNAL DEATH RATE
1	2	3	4	5	6	7	8	9	10	11	12
<b>PANAJI</b>	105072	111942	0	735	575	3	0	6.57	5.14	4.08	0
<b>MARGAO</b>	151579	183471	0	5314	1209	7	0	28.96	6.59	1.32	0
<b>VASCO</b>	120362	136516	0	1404	394	0	0	10.28	2.89	0	0
<b>MAPUSA</b>	133445	167013	0	2891	570	3	0	17.31	3.41	1.04	0
<b>TOTAL</b>	<b>510458</b>	<b>598942</b>	<b>0</b>	<b>10344</b>	<b>2748</b>	<b>13</b>	<b>0</b>	<b>17.27</b>	<b>4.59</b>	<b>1.26</b>	<b>0</b>

**TABLE 5**  
**NUMBER OF LIVE BIRTHS BY TYPES OF ATTENTION AT DELIVERY ( YEAR -2007)**

PRIORITY -  
1

DISTRICT	RURAL/URBAN	INSTITUTIONAL	PHYSICIAN	NURSE & TRAINED MID-WIFE	UNTRAINED MID-WIFE	OTHER MEDICAL PHYSICIAN	NOT STATED	TOTAL
1	2	3	4	5	6	7	8	9
<b>NORTH GOA</b>	TOWNS WITH POPULATION 30,000 & ABOVE ALL OTHER URBAN AREAS	5827	38	0	5	103	0	5973
	RURAL AREAS	6895	12	0	52	507	0	7466
	TOTAL	12722	50	0	57	610	0	13439
<b>SOUTH GOA</b>	TOWNS WITH POPULATION 30,000 & ABOVE ALL OTHER URBAN AREAS	7692	217	10	2	139	0	8060
	RURAL AREAS	523	41	18	46	269	0	897
	TOTAL	8215	258	28	48	408	0	8957
<b>GOA STATE</b>	TOWNS WITH POPULATION 30,000 & ABOVE ALL OTHER URBAN AREAS	13519	255	10	7	242	0	14033
	RURAL AREAS	7418	53	18	98	776	0	8363
	TOTAL	20937	308	28	105	1018	0	22396

**TABLE NO. 6**  
**DEATHS BY TYPE OF MEDICAL ATTENTION RECEIVED ( YEAR 2007)**

TALUKA/DISTRICT STATE	URBAN						RURAL		
	TOWNS WITH POPULATION 30,000 & ABOVE			ALL OVER URBAN AREAS					
	DOMICILARY			DOMICILARY			DOMICILARY		
	INSTITUTIONAL	MEDICAL ATTENTION  OTHER THAN INSTITUTION	NO MEDICAL ATTENTION	INSTITUTIONAL	MEDICAL ATTENTION OTHER THAN INSTITUTION	NO MEDICAL ATTENTION	INSTITUTIONAL	MEDICAL ATTENTION OTHER THAN INSTITUTION	NO MEDICAL ATTENTION
Tiswadi	421	165	0	0	0	0	2628	589	48
Bardez	570	0	0	0	0	0	202	876	74
Ponda	0	0	0	100	35	15	72	546	73
Bicholim	0	0	0	94	83	15	40	369	37
Pernem	0	0	0	6	21	1	49	454	24
Sattari	0	0	0	6	37	6	11	270	11
<b>North Goa</b>	<b>991</b>	<b>165</b>	<b>0</b>	<b>206</b>	<b>176</b>	<b>37</b>	<b>3002</b>	<b>3104</b>	<b>267</b>
Salcete	801	283	48	122	96	19	114	764	64
Mormugoa	57	295	42	0	0	0	93	293	30
Quepem	0	0	0	58	131	17	24	180	5
Sanguem	0	0	0	27	18	1	24	286	27
Canacona	0	0	0	22	65	12	20	186	12
<b>South Goa</b>	<b>858</b>	<b>578</b>	<b>90</b>	<b>229</b>	<b>310</b>	<b>49</b>	<b>275</b>	<b>1709</b>	<b>138</b>
<b>Goa State Total</b>	<b>1849</b>	<b>743</b>	<b>90</b>	<b>435</b>	<b>486</b>	<b>86</b>	<b>3277</b>	<b>4813</b>	<b>405</b>

**TABLE NO. 7  
DEATHS BY AGE AND SEX ( YEAR 2007 )**

AGE/SEX	RURAL			URBAN			ALL AREAS		
	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL
<b>BELOW 1 YEAR</b>	109	91	200	9	9	18	118	100	<b>218</b>
<b>1 TO 4 YEARS</b>	12	15	27	9	11	20	21	26	<b>47</b>
<b>5 TO 14 YEARS</b>	19	18	37	23	21	44	42	39	<b>81</b>
<b>15 TO 24 YEARS</b>	182	70	252	52	30	82	234	100	<b>334</b>
<b>25 TO 34 YEARS</b>	372	105	477	101	46	147	473	151	<b>624</b>
<b>35 TO 44 YEARS</b>	515	148	663	268	68	336	783	216	<b>999</b>
<b>45 TO 54 YEARS</b>	720	209	929	378	133	511	1098	342	<b>1440</b>
<b>55 TO 64 YEARS</b>	964	395	1359	428	194	622	1392	589	<b>1981</b>
<b>65 TO 69 YEARS</b>	627	393	1020	260	177	437	887	570	<b>1457</b>
<b>70 AND ABOVE</b>	1521	1836	3357	761	660	1421	2282	2496	<b>4778</b>
<b>AGE NOT STATED</b>	103	71	174	25	26	51	128	97	<b>225</b>
<b>TOTAL FOR ALL AGES</b>	<b>5144</b>	<b>3351</b>	<b>8495</b>	<b>2314</b>	<b>1375</b>	<b>3689</b>	<b>7458</b>	<b>4726</b>	<b>12184</b>



**TABLE NO. 8**  
**DEATHS BY CAUSE ( MEDICALLY CERTIFIED OR OTHERWISE ) ( YEAR -2007)**

Sr. No.	NAME OF DISEASES	Urban			Rural			Total		
		M	F	T	M	F	T	M	F	T
1	CHOLERA	0	0	0	0	0	0	0	0	0
2	TYPHOID & PARATYPHOID FEVERS	0	0	0	0	0	0	0	0	0
3	FOOD POISONING	0	0	0	0	0	0	0	0	0
4	DYSENTRY	0	0	0	1	0	1	1	0	1
5	TUBERCULOSIS	108	39	147	73	34	107	181	73	254
6	LEPROSY	0	0	0	1	0	1	1	0	1
7	DIPHThERIA	0	0	0	0	0	0	0	0	0
8	WHOOPING COUGH	0	0	0	0	0	0	0	0	0
9	TETANUS	0	0	0	1	1	2	1	1	2
10	ACUTE POLIOMYELITIS	0	0	0	0	0	0	0	0	0
11	MEASLES	0	0	0	0	0	0	0	0	0
12	RABIES	0	0	0	3	2	5	3	2	5
13	MALARIA	7	4	11	26	9	35	33	13	46
14	CANCER	144	105	249	257	192	449	401	297	698
15	DIABETES MELITUS	107	80	187	174	112	294	281	192	473
16	ANAEMIAS	2	8	10	8	17	25	10	25	35
17	MENINGITIS	9	0	9	6	0	6	15	0	15
18	HEART DISEASES AND HEART ATTACKS	811	557	1368	1683	1327	3010	2494	1884	4378
19	PNEUMONIA	54	36	90	83	53	136	137	89	226
20	INFLUENZA	1	0	1	1	1	2	2	1	3
21	BRONCHITIS	20	19	39	62	43	105	82	62	144
22	JAUNDICE	3	0	3	1	2	3	4	2	6
23	CHORONIC LEVER DISEASES & CIRHOSIS	186	16	202	462	51	513	648	67	715
24	ULCER OF STOMACH	0	0	0	7	4	11	7	4	11
25	APPENDICETIS	0	0	0	0	0	0	0	0	0
26	SYPHILLIS & OTHER DISEASES OF GENITORINARY SYSTLE	37	32	69	111	66	177	148	98	246

27	ABORTIONS	0	0	0	0	0	0	0	0	0
28	COMPLICATIONS RELATED TO PREGNANCY, CHILD BIRTH	0	0	0	0	2	2	0	2	2
29	CENTRAL CONDITIONS	32	36	68	66	48	114	98	84	182
30	CEREBROVASCULAR PARALYSIS	172	141	313	257	225	482	429	366	795
31	SENILITY WITHOUT MENTION OF PSYCHOSIS	81	104	185	115	141	256	196	245	441
32	OTHER NOT ELSEWHERE CLASSIFIED	540	198	738	1746	897	2286	2155	1095	3250
	<b>TOTAL</b>	<b>2314</b>	<b>1375</b>	<b>3689</b>	<b>5144</b>	<b>3351</b>	<b>8495</b>	<b>7458</b>	<b>4726</b>	<b>12184</b>
					10288					
33	BITES OR STRINGS OF VENOMOUS ANIMALS	1	2	3	2	1	3	3	3	6
34	ACCIDENTAL BURNS	2	4	6	5	4	9	7	8	15
35	FALLS, DROWNING	40	11	51	108	27	135	148	38	186
36	ACCIDENTAL POISONING ( OTHER THAN FOOD POISONING)	0	0	0	0	0	0	0	0	0
37	TRANSPORT ( TRAFFIC ) ACCIDENTS	0	10	11	19	6	5	29	7	36
38	OTHER ACCIDENTS NOT ELSEWHERE CLASSIFIED	4	3	7	34	5	39	38	8	46
39	SUICIDE	15	0	15	52	22	74	67	22	89
40	HOMICIDE	5	4	9	71	16	72	76	20	96
41	OTHER EXTERNAL CAUSES NOT ELSEWHERE CLASSIFIED	3	1	4	22	6	28	25	7	32
	<b>GRAND TOTAL</b>	<b>70</b>	<b>36</b>	<b>106</b>	<b>313</b>	<b>87</b>	<b>365</b>	<b>393</b>	<b>113</b>	<b>506</b>

**TABLE NO .9.**

**DEATHS BY CAUSE ,AGE ,SEX FOR MEDICALLY CERTIFIED CASES**

SR.NO.	CAUSE GROUP (CAUSE OF DEATH)	SEX	AGE IN YEARS											Total
		M/F	Below 1 Year	1-4	5-14	15-24	25-34	35-44	45-54	55-64	65-69	70 & above	NOT STATED	
1	2	3	4	5	6	7	8	9	10	11	12	13	14	15
<b>I</b>	<b>CERTAIN INFECTIOUS AND PARASITIC DISEASES ( A00-B99 )</b>													
		<b>M</b>	<b>0</b>	<b>4</b>	<b>7</b>	<b>13</b>	<b>52</b>	<b>87</b>	<b>103</b>	<b>68</b>	<b>37</b>	<b>82</b>	<b>8</b>	<b>461</b>
		<b>F</b>	<b>0</b>	<b>5</b>	<b>5</b>	<b>13</b>	<b>31</b>	<b>34</b>	<b>34</b>	<b>30</b>	<b>18</b>	<b>84</b>	<b>2</b>	<b>256</b>
	<b>1. INTESTINAL INFECTIOUS DISEASES ( A00-A09)</b>	<b>M</b>	<b>0</b>	<b>2</b>	<b>1</b>	<b>0</b>	<b>5</b>	<b>8</b>	<b>8</b>	<b>5</b>	<b>6</b>	<b>11</b>	<b>0</b>	<b>46</b>
		<b>F</b>	<b>0</b>	<b>0</b>	<b>1</b>	<b>1</b>	<b>2</b>	<b>4</b>	<b>1</b>	<b>1</b>	<b>2</b>	<b>17</b>	<b>1</b>	<b>30</b>
<b>1</b>	Cholera (A00)	<b>M</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>
		<b>F</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>
<b>2</b>	Typhoid fever and Paratyphoid fevers ( A01 )	<b>M</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>
		<b>F</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>
<b>3</b>	Food Poisoning (A02,A05 )	<b>M</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>
		<b>F</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>
<b>4</b>	Shigellosis (A03)	<b>M</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>
		<b>F</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>
<b>5</b>	Amoebiasis (A06)	<b>M</b>	<b>0</b>	<b>0</b>	<b>1</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>1</b>
		<b>F</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>
<b>6</b>	Diarrhoea and gastroenteritis of presumed infectious origin (A0-9)	<b>M</b>	<b>0</b>	<b>2</b>	<b>0</b>	<b>0</b>	<b>5</b>	<b>8</b>	<b>8</b>	<b>5</b>	<b>6</b>	<b>11</b>	<b>0</b>	<b>45</b>
		<b>F</b>	<b>0</b>		<b>1</b>	<b>1</b>	<b>2</b>	<b>4</b>	<b>1</b>	<b>1</b>	<b>2</b>	<b>17</b>	<b>1</b>	<b>30</b>





<b>2</b>	Rabies (A82)	<b>M</b>	<b>0</b>	<b>0</b>	<b>1</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>1</b>	<b>0</b>	<b>0</b>	<b>1</b>	<b>0</b>	<b>3</b>
		<b>F</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>2</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>2</b>
<b>3</b>	Japanese encephalitis ( A83.0)	<b>M</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>
		<b>F</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>
<b>4</b>	Other viral encephalitis ( A83.1-A83.9,A84-A86 )	<b>M</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>1</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>1</b>
		<b>F</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>1</b>	<b>2</b>	<b>1</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>4</b>
<b>5</b>	Dengue fever ( A 90)	<b>M</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>
		<b>F</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>
<b>6</b>	Other arthropod-borne viral fevers and viral haemorrhagic fevers ( A91-A94, A 96-A99 )	<b>M</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>1</b>	<b>1</b>	<b>2</b>	<b>2</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>6</b>
		<b>F</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>1</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>1</b>
<b>7</b>	Smallpox ( B03)	<b>M</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>
		<b>F</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>
<b>8</b>	Measles ( B05)	<b>M</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>
		<b>F</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>
														<b>0</b>
<b>9</b>	Acute Hepatitis B ( B16 )	<b>M</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>
		<b>F</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>
<b>10</b>	Other viral hepatitis ( B15, B17-B19)	<b>M</b>	<b>0</b>	<b>0</b>	<b>1</b>	<b>3</b>	<b>5</b>	<b>1</b>	<b>3</b>	<b>5</b>	<b>0</b>	<b>1</b>	<b>0</b>	<b>19</b>
		<b>F</b>	<b>0</b>	<b>0</b>	<b>1</b>	<b>0</b>	<b>5</b>	<b>0</b>	<b>0</b>	<b>1</b>	<b>1</b>	<b>1</b>	<b>0</b>	<b>9</b>
<b>11</b>	Human immunodeficiency virus ( HIV) disease ( B20-B24)	<b>M</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>9</b>	<b>18</b>	<b>18</b>	<b>1</b>	<b>0</b>	<b>1</b>	<b>1</b>	<b>48</b>
		<b>F</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>2</b>	<b>4</b>	<b>7</b>	<b>2</b>	<b>1</b>	<b>1</b>	<b>0</b>	<b>0</b>	<b>17</b>



	late effects of infectious and parasitic diseases ( B35-B49, B65,B76,B85-B94 & B99 )	<b>F</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>
<b>II</b>	<b>NEOPLASMA ( C00-D48 )</b>	<b>M</b>	<b>0</b>	<b>2</b>	<b>4</b>	<b>5</b>	<b>14</b>	<b>24</b>	<b>60</b>	<b>96</b>	<b>68</b>	<b>123</b>	<b>5</b>	<b>401</b>
		<b>F</b>	<b>0</b>	<b>1</b>	<b>2</b>	<b>0</b>	<b>5</b>	<b>19</b>	<b>61</b>	<b>55</b>	<b>48</b>	<b>105</b>	<b>1</b>	<b>297</b>
	<b>CAVITY AND PHARYNX ( C00-C 14 )</b>	<b>M</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>1</b>	<b>6</b>	<b>9</b>	<b>16</b>	<b>8</b>	<b>12</b>	<b>1</b>	<b>53</b>
		<b>F</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>3</b>	<b>4</b>	<b>4</b>	<b>8</b>	<b>0</b>	<b>19</b>
<b>1</b>	Malignant neoplasms of lip, oral cavity and pharynx ( C00-C14 )	<b>M</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>1</b>	<b>6</b>	<b>9</b>	<b>16</b>	<b>8</b>	<b>12</b>	<b>1</b>	<b>53</b>
		<b>F</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>3</b>	<b>4</b>	<b>4</b>	<b>8</b>	<b>0</b>	<b>19</b>
<b>9</b>	<b>MALIGANANT NEOPLASMS OF DIGESTIVE ORGANS ( C15-C26)</b>	<b>M</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>2</b>	<b>5</b>	<b>17</b>	<b>31</b>	<b>26</b>	<b>43</b>	<b>1</b>	<b>125</b>
		<b>F</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>3</b>	<b>9</b>	<b>19</b>	<b>13</b>	<b>35</b>	<b>1</b>	<b>80</b>
<b>1</b>	Malignant neoplasm of oesophagus ( C15)	<b>M</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>1</b>	<b>1</b>	<b>3</b>	<b>8</b>	<b>7</b>	<b>10</b>	<b>1</b>	<b>31</b>
		<b>F</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>1</b>	<b>5</b>	<b>1</b>	<b>5</b>	<b>0</b>	<b>12</b>
<b>2</b>	Malignant neoplasm of stomach ( C16)	<b>M</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>3</b>	<b>3</b>	<b>9</b>	<b>7</b>	<b>18</b>	<b>0</b>	<b>40</b>
		<b>F</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>2</b>	<b>4</b>	<b>5</b>	<b>4</b>	<b>12</b>	<b>0</b>	<b>27</b>
<b>3</b>	Malignant neoplasm of small intestine including duodenum ( C17)	<b>M</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>1</b>	<b>0</b>	<b>0</b>	<b>1</b>
		<b>F</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>
<b>4</b>	Malignant neoplasm of colon ( C18 )	<b>M</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>1</b>	<b>0</b>	<b>3</b>	<b>1</b>	<b>3</b>	<b>4</b>	<b>0</b>	<b>12</b>
		<b>F</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>1</b>	<b>1</b>	<b>2</b>	<b>2</b>	<b>8</b>	<b>1</b>	<b>15</b>
<b>5</b>	Malignant neoplasm of rectosigmoid junction,	<b>M</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>1</b>	<b>3</b>	<b>3</b>	<b>2</b>	<b>3</b>	<b>0</b>	<b>12</b>







		F	0	0	0	0	0	0	0	0	0	0	0	0
6	Malignant neoplasm of prostate ( C 61 )	M	0	0	0	0	0	0	1	2	3	10	0	16
		F	0	0	0	0	0	0	0	0	0	0	0	0
7	Other malignant neoplasm of male genital organs ( C 60, C 62- C 63 )	M	0	0	0	0	0	0	1	0	0	2	0	3
		F	0	0	0	0	0	0	0	0	0	0	0	0
8	Malignant neoplasm of bladder ( C 67 )	M	0	0	0	0	0	0	0	1	0	3	0	4
		F	0	0	0	0	0	0	1	0	0	0	0	1
9	Other malignant neoplasm of urinary tract ( C 64- C66, C68 )	M	0	0	0	0	0	0	0	3	2	0	0	5
		F	0	0	0	0	0	0	0	0	1	2	0	3
	<b>13. MALIGNANT NEOPLASMS OF EYE, BRAIN AND</b>	M	0	2	0	0	0	2	2	2	4	0	2	14
	<b>OTHER PARTS OF CENTRAL NERVOUS SYSTEM ( C69-C72 )</b>	F	0	0	0	0	0	0	2	0	0	2	0	4
1	Malignant neoplasm of eye & adnexa ( C69)	M	0	0	0	0	0	0	0	0	1	0	0	1
		F	0	0	0	0	0	0	0	0	0	0	0	0
2	Malignant neoplasm of meninges, brain & other parts of central nervous system ( C70 - C72 )	M	0	2	0	0	0	2	2	2	3	0	2	13
		F	0	0	0	0	0	0	2	0	0	2	0	4
	<b>14. MALIGNANT NEOPLASMS OF OTHER AND UNSPECIFIED SITES ( C73-C80- &amp; C97 )</b>	M	0	0	1	2	1	1	10	12	5	14	1	47
		F	0	1	0	0	1	3	14	12	10	23	0	64



		F	0	0	0	0	0	0	0	0	0	0	0	0
	<b>17. BENIGN NEOPLASMS ( D10-D36 )</b>	M	0	0	1	0	0	2	0	1	0	0	0	4
		F	0	0	0	0	1	1	1	0	0	0	0	3
1	Leiomyoma of uterus ( D25 )	M	0	0	0	0	0	0	0	0	0	0	0	0
		F	0	0	0	0	0	0	0	0	0	0	0	0
2	All other benign neoplasms ( D10-D24, D26-D36 )	M	0	0	1	0	0	2	0	1	0	0	0	4
		F	0	0	0	0	1	1	1	0	0	0	0	3
	<b>18. OTHER AND UNSPECIFIED NEOPLASM ( D37-D48)</b>	M	0	0	0	0	0	0	0	0	0	0	0	0
		F	0	0	0	0	0	0	0	0	1	0	0	1
1	Other and unspecified neoplasm ( D37-D48)	M	0	0	0	0	0	0	0	0	0	0	0	0
		F	0	0	0	0	0	0	0	0	1	0	0	1
<b>III</b>	<b>DISEASES OF THE BLOOD AND BLOOD FORMING</b>	M	0	0	0	0	0	4	3	2	1	4	0	14
	<b>ORGANS AND CERTAIN DISORDERS INVOLVING THE IMMUNE MECHANISM ( D50- D89 )</b>	F	0	1	0	2	2	1	2	2	3	12	0	25
	<b>19. DISEASES OF THE BLOOD AND BLOOD FORMING</b>	M	0	0	0	0	0	4	3	2	1	4	0	14
	<b>ORGANS AND CERTAIN DISORDERS INVOLVING THE IMMUNE MECHANISM ( D50- D89 )</b>	F	0	1	0	2	2	1	2	2	3	12	0	25





<b>2</b>	Schizophrenia, schizotypal & delusional disorders ( F20-F29)	<b>M</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>
		<b>F</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>
<b>3</b>	All other mental and behavioral disorders ( F01-F09, F30-F99)	<b>M</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>1</b>	<b>0</b>	<b>0</b>	<b>2</b>	<b>0</b>	<b>3</b>
		<b>F</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>1</b>	<b>0</b>	<b>0</b>	<b>1</b>	<b>0</b>		<b>8</b>	<b>0</b>	<b>10</b>
<b>VI</b>	<b>. DISEASES OF THE NERVOUS SYSTEM ( G00-G98 )</b>	<b>M</b>	<b>0</b>	<b>1</b>	<b>1</b>	<b>8</b>	<b>6</b>	<b>9</b>	<b>9</b>	<b>8</b>	<b>6</b>	<b>19</b>	<b>0</b>	<b>67</b>
		<b>F</b>	<b>0</b>	<b>0</b>	<b>2</b>	<b>2</b>	<b>2</b>	<b>2</b>	<b>2</b>	<b>6</b>	<b>5</b>	<b>11</b>	<b>1</b>	<b>33</b>
	<b>23. INFLAMMATORY DISEASES OF THE NERVOUS SYSTEM ( G00-G09 )</b>	<b>M</b>	<b>0</b>	<b>1</b>	<b>0</b>	<b>3</b>	<b>2</b>	<b>4</b>	<b>3</b>	<b>2</b>	<b>1</b>	<b>4</b>	<b>0</b>	<b>20</b>
		<b>F</b>	<b>0</b>	<b>0</b>	<b>1</b>	<b>0</b>	<b>1</b>	<b>1</b>	<b>0</b>	<b>1</b>	<b>2</b>	<b>0</b>	<b>0</b>	<b>6</b>
<b>1</b>	Meningitis ( G00 & G03 )	<b>M</b>	<b>0</b>	<b>1</b>	<b>0</b>	<b>2</b>	<b>2</b>	<b>4</b>	<b>3</b>	<b>1</b>	<b>1</b>	<b>1</b>	<b>0</b>	<b>15</b>
		<b>F</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>
<b>2</b>	Encephalitis, myelitis and encephalomyelitis ( G04)	<b>M</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>1</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>2</b>	<b>0</b>	<b>3</b>
		<b>F</b>	<b>0</b>	<b>0</b>	<b>1</b>	<b>0</b>	<b>1</b>	<b>1</b>	<b>0</b>	<b>1</b>	<b>2</b>	<b>0</b>	<b>0</b>	<b>6</b>
<b>3</b>	Other inflammatory diseases of the Central nervous system ( G06, G08- G09)	<b>M</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>1</b>	<b>0</b>	<b>1</b>	<b>0</b>	<b>2</b>
		<b>F</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>
	<b>24. OTHER DISEASES OF THE NERVOUS SYSTEM ( G10-G98 )</b>	<b>M</b>	<b>0</b>	<b>0</b>	<b>1</b>	<b>5</b>	<b>4</b>	<b>5</b>	<b>6</b>	<b>6</b>	<b>5</b>	<b>15</b>	<b>0</b>	<b>47</b>
		<b>F</b>	<b>0</b>	<b>0</b>	<b>1</b>	<b>2</b>	<b>1</b>	<b>1</b>	<b>2</b>	<b>5</b>	<b>3</b>	<b>11</b>	<b>1</b>	<b>27</b>
<b>1</b>	Alzheimer's disease( G30)	<b>M</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>2</b>	<b>0</b>	<b>2</b>
		<b>F</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>3</b>	<b>1</b>	<b>4</b>



2	Epilepsy ( G40-G41)	M	0	0	0	3	1	3	0	3	0	1	0	11
		F	0	0	0	0	1	0	1	1	0	1	0	4
3	All other diseases of the nervous system ( G10-G25, G3, G35-G37, G43-G98)	M	0	0	1	2	3	2	6	3	5	12	0	34
		F	0	0	1	2	0	1	1	4	3	7	0	19
VII	<b>. DISEASES OF THE EYE AND ADNEXA (H00-H59)</b>	M	0	0	0	0	0	0	0	0	0	1	0	1
		F	0	0	0	0	0	1	0	0	0	1	0	2
	<b>25. DISEASE OF THE EYE AND ADNEXA (H00-H59)</b>	M	0	0	0	0	0	0	0	0	0	1	0	1
		F	0	0	0	0	0	1	0	0	0	1	0	2
1	. Disease of the eye and adnexa (H00-H59)	M	0	0	0	0	0	0	0	0	0	1	0	1
		F	0	0	0	0	0	1	0	0	0	1	0	2
VIII	<b>DISEASES OF THE EAR AND MASTOID PROCESS (H60-H93)</b>	M	0	0	0	0	0	0	0	0	0	0	0	0
		F	0	0	0	0	0	0	0	0	0	0	0	0
														0
	<b>26. DISEASES OF THE EAR AND MASTOID PROCESS (H60-H93)</b>	M	0	0	0	0	0	0	0	0	0	0	0	0
		F	0	0	0	0	0	0	0	0	0	0	0	0
1	Diseases of the ear and mastoid process ( H60-H93 )	M	0	0	0	0	0	0	0	0	0	0	0	0
		F	0	0	0	0	0	0	0	0	0	0	0	0
IX.	<b>DISEASES OF THE CIRCULATORY SYSTEM</b>	M	0	3	1	20	41	183	333	662	431	1250	34	2958

	<b>( I00-I99 )</b>	<b>F</b>	<b>0</b>	<b>3</b>	<b>4</b>	<b>11</b>	<b>20</b>	<b>55</b>	<b>125</b>	<b>298</b>	<b>290</b>	<b>1442</b>	<b>39</b>	<b>2287</b>
	<b>27. ACUTE RHEUMATIC FEVER AND CHRONIC RHEUMATIC HEART DISEASES ( I00-I09 )</b>	<b>M</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>1</b>	<b>0</b>	<b>0</b>	<b>1</b>	<b>0</b>	<b>2</b>
		<b>F</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>2</b>	<b>0</b>	<b>1</b>	<b>1</b>	<b>0</b>	<b>1</b>	<b>0</b>	<b>5</b>
<b>1</b>	Acute rheumatic fever ( I00-I02 )	<b>M</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>
		<b>F</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>
<b>2</b>	Chronic rheumatic heart diseases ( I05-I09 )	<b>M</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>1</b>	<b>0</b>	<b>0</b>	<b>1</b>	<b>0</b>	<b>2</b>
		<b>F</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>2</b>	<b>0</b>	<b>1</b>	<b>1</b>	<b>0</b>	<b>1</b>	<b>0</b>	<b>5</b>
	<b>28. HYPERTENSIVE DISEASES ( I10-I15 )</b>	<b>M</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>4</b>	<b>1</b>	<b>14</b>	<b>50</b>	<b>79</b>	<b>69</b>	<b>177</b>	<b>4</b>	<b>398</b>
		<b>F</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>1</b>	<b>0</b>	<b>2</b>	<b>18</b>	<b>54</b>	<b>54</b>	<b>265</b>	<b>13</b>	<b>407</b>
<b>1</b>	Hypertensive heart disease ( I11 )	<b>M</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>2</b>	<b>0</b>	<b>2</b>	<b>5</b>	<b>13</b>	<b>9</b>	<b>17</b>	<b>0</b>	<b>48</b>
		<b>F</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>1</b>	<b>0</b>	<b>1</b>	<b>1</b>	<b>6</b>	<b>6</b>	<b>17</b>	<b>0</b>	<b>32</b>
<b>2</b>	All other hypertensive diseases ( I10, I12-I15 )	<b>M</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>2</b>	<b>1</b>	<b>12</b>	<b>45</b>	<b>66</b>	<b>60</b>	<b>160</b>	<b>4</b>	<b>350</b>
		<b>F</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>1</b>	<b>17</b>	<b>48</b>	<b>48</b>	<b>248</b>	<b>13</b>	<b>375</b>
	<b>29. ISCHAEMIC HEART DISEASES ( I20-I25 )</b>	<b>M</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>5</b>	<b>11</b>	<b>104</b>	<b>168</b>	<b>371</b>	<b>222</b>	<b>565</b>	<b>19</b>	<b>1465</b>
		<b>F</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>4</b>	<b>9</b>	<b>34</b>	<b>56</b>	<b>143</b>	<b>136</b>	<b>610</b>	<b>14</b>	<b>1006</b>
<b>1</b>	Acute myocardial infraction ( I21-I25 )	<b>M</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>5</b>	<b>11</b>	<b>98</b>	<b>155</b>	<b>352</b>	<b>204</b>	<b>533</b>	<b>17</b>	<b>1375</b>
		<b>F</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>4</b>	<b>9</b>	<b>34</b>	<b>55</b>	<b>140</b>	<b>129</b>	<b>581</b>	<b>12</b>	<b>964</b>
<b>2</b>	All other ischaemic heart diseases ( I20 & I23- I25 )	<b>M</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>6</b>	<b>13</b>	<b>19</b>	<b>18</b>	<b>32</b>	<b>2</b>	<b>90</b>
		<b>F</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>1</b>	<b>3</b>	<b>7</b>	<b>29</b>	<b>2</b>	<b>42</b>

	<b>30. DISEASES OF PULMONARY CIRCULATION</b>	<b>M</b>	<b>0</b>	<b>3</b>	<b>1</b>	<b>8</b>	<b>19</b>	<b>36</b>	<b>67</b>	<b>122</b>	<b>89</b>	<b>275</b>	<b>9</b>	<b>629</b>
	<b>AND</b>	<b>F</b>	<b>0</b>	<b>3</b>	<b>4</b>	<b>2</b>	<b>6</b>	<b>12</b>	<b>32</b>	<b>55</b>	<b>51</b>	<b>291</b>	<b>10</b>	<b>466</b>
	<b>OTHER FORMS OF HEART DISEASE</b>													
<b>1</b>	Pulmonary heart disease and diseases of Plmonary Circulation ( I26-I28 )	<b>M</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>1</b>	<b>0</b>	<b>2</b>	<b>3</b>	<b>6</b>	<b>3</b>	<b>9</b>	<b>0</b>	<b>24</b>
		<b>F</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>1</b>	<b>0</b>	<b>3</b>	<b>1</b>	<b>11</b>	<b>0</b>	<b>16</b>
<b>2</b>	Other forms of heart diseases ( I30-I51 )	<b>M</b>	<b>0</b>	<b>3</b>	<b>1</b>	<b>7</b>	<b>19</b>	<b>34</b>	<b>64</b>	<b>116</b>	<b>86</b>	<b>266</b>	<b>9</b>	<b>605</b>
		<b>F</b>	<b>0</b>	<b>3</b>	<b>4</b>	<b>2</b>	<b>6</b>	<b>11</b>	<b>32</b>	<b>52</b>	<b>50</b>	<b>280</b>	<b>10</b>	<b>450</b>
	<b>31. CEREBROVASCULAR DISEASES ( I60- I69 )</b>	<b>M</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>3</b>	<b>8</b>	<b>26</b>	<b>42</b>	<b>82</b>	<b>48</b>	<b>219</b>	<b>1</b>	<b>429</b>
		<b>F</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>3</b>	<b>2</b>	<b>5</b>	<b>16</b>	<b>44</b>	<b>47</b>	<b>247</b>	<b>2</b>	<b>366</b>
<b>1</b>	Cerebrovascular diseases ( I60-I69 )	<b>M</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>3</b>	<b>8</b>	<b>26</b>	<b>42</b>	<b>82</b>	<b>48</b>	<b>219</b>	<b>1</b>	<b>429</b>
		<b>F</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>3</b>	<b>2</b>	<b>5</b>	<b>16</b>	<b>44</b>	<b>47</b>	<b>247</b>	<b>2</b>	<b>366</b>
	<b>32. OTHER DISEASES OF THE CIRCULATORY SYSTEM ( I70-I99)</b>	<b>M</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>2</b>	<b>3</b>	<b>5</b>	<b>8</b>	<b>3</b>	<b>13</b>	<b>1</b>	<b>35</b>
		<b>F</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>1</b>	<b>1</b>	<b>2</b>	<b>2</b>	<b>1</b>	<b>2</b>	<b>28</b>	<b>0</b>	<b>37</b>
<b>1</b>	Atherosclerosis ( I 70)	<b>M</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>3</b>	<b>1</b>	<b>8</b>	<b>1</b>	<b>13</b>
		<b>F</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>1</b>	<b>0</b>	<b>14</b>	<b>0</b>	<b>15</b>
<b>2</b>	Arterial embolism and thrombosis ( I74 )	<b>M</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>1</b>	<b>0</b>	<b>1</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>2</b>
		<b>F</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>1</b>	<b>0</b>	<b>0</b>	<b>1</b>
<b>3</b>	Other diseases of arteries, arterioles & capillaries	<b>M</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>1</b>	<b>1</b>	<b>1</b>		<b>2</b>	<b>1</b>	<b>0</b>	<b>6</b>



	<b>34. LOWER RESPIRATORY DISEASES</b>	<b>M</b>	<b>0</b>	<b>1</b>	<b>1</b>	<b>1</b>	<b>2</b>	<b>10</b>	<b>20</b>	<b>58</b>	<b>49</b>	<b>204</b>	<b>4</b>	<b>350</b>
	<b>( J20-J22 &amp; J40-J47 )</b>	<b>F</b>	<b>0</b>	<b>0</b>	<b>1</b>	<b>0</b>	<b>1</b>	<b>2</b>	<b>10</b>	<b>43</b>	<b>45</b>	<b>201</b>	<b>8</b>	<b>311</b>
<b>1</b>	Acute bronchitis And acute bronchiolitis ( J20-J21)	<b>M</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>1</b>		<b>1</b>	<b>1</b>	<b>0</b>	<b>3</b>
		<b>F</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>2</b>	<b>0</b>	<b>2</b>
<b>2</b>	Bronchitis, choronic and unspecified, emphysema ( J40-J43)	<b>M</b>	<b>0</b>	<b>0</b>	<b>1</b>	<b>1</b>	<b>0</b>	<b>2</b>	<b>6</b>	<b>9</b>	<b>9</b>	<b>53</b>	<b>1</b>	<b>82</b>
		<b>F</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>1</b>		<b>2</b>	<b>11</b>	<b>5</b>	<b>39</b>	<b>4</b>	<b>62</b>
<b>3</b>	Asthma ( J45-J46 )	<b>M</b>	<b>0</b>	<b>1</b>	<b>0</b>	<b>0</b>	<b>1</b>	<b>1</b>	<b>3</b>	<b>3</b>	<b>4</b>	<b>15</b>	<b>1</b>	<b>29</b>
		<b>F</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>2</b>	<b>4</b>	<b>2</b>	<b>21</b>	<b>1</b>	<b>30</b>
<b>4</b>	Other lower respiratory disorders ( J22,J44 & J 47 )	<b>M</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>1</b>	<b>7</b>	<b>10</b>	<b>46</b>	<b>35</b>	<b>135</b>	<b>2</b>	<b>236</b>
		<b>F</b>	<b>0</b>	<b>0</b>	<b>1</b>	<b>0</b>	<b>0</b>	<b>2</b>	<b>6</b>	<b>28</b>	<b>38</b>	<b>139</b>	<b>3</b>	<b>217</b>
	<b>35. OTHER DISEASES OF THE</b>	<b>M</b>	<b>0</b>	<b>2</b>	<b>6</b>	<b>16</b>	<b>26</b>	<b>42</b>	<b>63</b>	<b>30</b>	<b>30</b>	<b>87</b>	<b>6</b>	<b>308</b>
	<b>RESPIRATORY</b>	<b>F</b>	<b>0</b>	<b>5</b>	<b>8</b>	<b>5</b>	<b>15</b>	<b>15</b>	<b>19</b>	<b>18</b>	<b>18</b>	<b>102</b>	<b>1</b>	<b>206</b>
	<b>SYSTEM ( J10-J18,J60-J98 )</b>													
<b>1</b>	Influenza ( J10- J11)	<b>M</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>1</b>	<b>0</b>	<b>0</b>	<b>1</b>	<b>0</b>	<b>2</b>
		<b>F</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>1</b>	<b>0</b>	<b>1</b>
<b>2</b>	Pneumonia ( J12-J18 )	<b>M</b>	<b>0</b>	<b>1</b>	<b>4</b>	<b>7</b>	<b>12</b>	<b>20</b>	<b>26</b>	<b>14</b>	<b>11</b>	<b>39</b>	<b>3</b>	<b>137</b>
		<b>F</b>	<b>0</b>	<b>3</b>	<b>4</b>	<b>0</b>	<b>8</b>	<b>6</b>	<b>4</b>	<b>8</b>	<b>5</b>	<b>51</b>	<b>0</b>	<b>89</b>
<b>3</b>	Pleurisy ( J90 )	<b>M</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>1</b>	<b>1</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>2</b>
		<b>F</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>1</b>	<b>0</b>	<b>1</b>
<b>4</b>	All other diseases of the respiratory system	<b>M</b>	<b>0</b>	<b>1</b>	<b>2</b>	<b>9</b>	<b>14</b>	<b>22</b>	<b>35</b>	<b>15</b>	<b>19</b>	<b>47</b>	<b>3</b>	<b>167</b>
	( J60-J86, J92-J98 )	<b>F</b>	<b>0</b>	<b>2</b>	<b>4</b>	<b>5</b>	<b>7</b>	<b>9</b>	<b>15</b>	<b>10</b>	<b>13</b>	<b>49</b>	<b>1</b>	<b>115</b>



<b>6</b>	Peritonitis ( K65)	<b>M</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>1</b>	<b>1</b>	<b>2</b>	<b>0</b>	<b>3</b>	<b>1</b>	<b>1</b>	<b>0</b>	<b>9</b>
		<b>F</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>1</b>	<b>0</b>	<b>1</b>	<b>0</b>	<b>1</b>	<b>0</b>	<b>3</b>	<b>0</b>	<b>6</b>
<b>7</b>	Diseases of the liver ( K70-K77 )	<b>M</b>	<b>0</b>	<b>0</b>	<b>1</b>	<b>3</b>	<b>70</b>	<b>164</b>	<b>189</b>	<b>130</b>	<b>47</b>	<b>41</b>	<b>3</b>	<b>648</b>
		<b>F</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>5</b>	<b>6</b>	<b>10</b>	<b>8</b>	<b>13</b>	<b>10</b>	<b>15</b>	<b>0</b>	<b>67</b>
<b>8</b>	Cholelithiasis and cholecystitis ( K80-K81)	<b>M</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>1</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>1</b>
		<b>F</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>
<b>9</b>	Disorder of the pancreas ( K85-K87 )	<b>M</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>1</b>	<b>5</b>	<b>7</b>	<b>8</b>	<b>6</b>	<b>2</b>	<b>1</b>	<b>0</b>	<b>30</b>
		<b>F</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>1</b>	<b>0</b>	<b>1</b>	<b>1</b>	<b>0</b>	<b>2</b>	<b>1</b>	<b>6</b>
<b>10</b>	All other diseases of the other parts of digestive system ( K20-K23,K28, K30-K31, K50-K55,K57-K63, K66,K82-K83 & K90-K92 )	<b>M</b>	<b>0</b>	<b>0</b>	<b>1</b>	<b>0</b>	<b>4</b>	<b>10</b>	<b>13</b>	<b>19</b>	<b>7</b>	<b>11</b>	<b>1</b>	<b>66</b>
		<b>F</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>1</b>	<b>1</b>	<b>1</b>	<b>0</b>	<b>2</b>	<b>1</b>	<b>3</b>	<b>0</b>	<b>9</b>
<b>XII</b>	<b>DISEASES OF THE SKIN AND SUBCUTANEOUS TISSUE ( L00-L98)</b>	<b>M</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>1</b>	<b>0</b>	<b>0</b>	<b>1</b>	<b>2</b>	<b>1</b>	<b>3</b>	<b>0</b>	<b>8</b>
		<b>F</b>	<b>0</b>	<b>2</b>	<b>0</b>	<b>0</b>	<b>2</b>	<b>2</b>	<b>0</b>	<b>0</b>	<b>1</b>	<b>4</b>	<b>0</b>	<b>11</b>
	<b>38. DISEASES OF THE SKIN AND SUBCUTANEOUS TISSUE ( L00-L99)</b>	<b>M</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>1</b>	<b>0</b>	<b>0</b>	<b>1</b>	<b>2</b>	<b>1</b>	<b>3</b>	<b>0</b>	<b>8</b>
		<b>F</b>	<b>0</b>	<b>2</b>	<b>0</b>	<b>0</b>	<b>2</b>	<b>2</b>	<b>0</b>	<b>0</b>	<b>1</b>	<b>4</b>	<b>0</b>	<b>11</b>
<b>1</b>	Infections of the skin and subcutaneous tissue ( L00-L08 )	<b>M</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>1</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>1</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>2</b>
		<b>F</b>	<b>0</b>	<b>2</b>	<b>0</b>	<b>0</b>	<b>1</b>	<b>1</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>1</b>	<b>0</b>	<b>5</b>
<b>2</b>	All other diseases of the skin and subcutaneous tissue ( L10-L98 )	<b>M</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>1</b>	<b>1</b>	<b>1</b>	<b>3</b>	<b>0</b>	<b>6</b>

		F	0	0	0	0	1	1	0	0	1	3	0	6
XIII	<b>DISEASES OF THE MUSCULOSKELETAL SYSTEM</b>	M	0	0	0	0	1	0	0	1	0	0	0	2
	<b>AND CONNECTIVE TISSUE ( M00-M99)</b>	F	0	0	0	0	0	0	1	1	1	1	0	4
	<b>39. DISEASES OF THE MUSCULOSKELETAL SYSTEM</b>	M	0	0	0	0	1	0	0	1	0	0	0	2
	<b>AND CONNECTIVE TISSUE ( M00-M99)</b>	F	0	0	0	0	0	0	1	1	1	1	0	4
1	Rheumatoid arthritis and other	M	0	0	0	0	0	0	0	0	0	0	0	0
	inflammatory polyarthropathies ( M 05-M14 )	F	0	0	0	0	0	0	0	0	0	1	0	1
2	Osteomyelitis ( M86 )	M	0	0	0	0	0	0	0	0	0	0	0	0
		F	0	0	0	0	0	0	0	0	0	0	0	0
3	All other diseases of the musculoskeletal system													
	and connective tissue ( M00-M02, M15-M43, M45-M85,	M	0	0	0	0	1	0	0	1	0	0	0	2
	M87-M99 )	F	0	0	0	0	0	0	1	1	1	0	0	3
XIV	<b>DISEASES OF THE GENITOURINARY SYSTEM</b>	M	0	0	1	5	14	9	24	29	27	40	2	151
	<b>(N00-N99 )</b>	F	0	0	2	3	6	7	16	15	15	35	0	99
	<b>40. DISEASES OF URINARY SYSTEM ( N00-N39)</b>	M	0	0	1	5	13	8	24	29	27	39	1	147











	<b>CHROMOSOMAL ABNORMALITIES ( Q00-Q99 )</b>	<b>F</b>	<b>16</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>16</b>
	<b>46. CONGENITAL MALFORMATIONS, DEFORMATIONS AND</b>	<b>M</b>	<b>20</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>20</b>
	<b>CHROMOSOMAL ABNORMALITIES ( Q00-Q99 )</b>	<b>F</b>	<b>16</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>16</b>
<b>1</b>	Spina bifida ( Q 05)	<b>M</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>
		<b>F</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>
<b>2</b>	Congenital malformations of the circulatory system ( Q 20-Q28 )	<b>M</b>	<b>11</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>11</b>
		<b>F</b>	<b>5</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>5</b>
<b>3</b>	Cleft lip cleft palate ( Q35-Q37)	<b>M</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>
		<b>F</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>
<b>4</b>	All other congenital malformations, deformations, and chromosomal abnormalities, not lsewhere classified ( Q00-Q04, Q06-Q07,Q10 -Q18, Q30- Q34, Q38-Q99 )	<b>M</b>	<b>9</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>9</b>
		<b>F</b>	<b>11</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>11</b>
<b>XVIII</b>	<b>SYMPTOMS, SIGNS AND ABNORMAL CLINICAL AND</b>	<b>M</b>	<b>0</b>	<b>5</b>	<b>10</b>	<b>78</b>	<b>116</b>	<b>130</b>	<b>152</b>	<b>152</b>	<b>109</b>	<b>302</b>	<b>55</b>	<b>1109</b>

	<b>LABORATORY FINDINGS, NOT ELSEWHERE CLASSIFIED ( R00-R99 )</b>	<b>F</b>	<b>0</b>	<b>9</b>	<b>9</b>	<b>34</b>	<b>31</b>	<b>36</b>	<b>29</b>	<b>45</b>	<b>62</b>	<b>349</b>	<b>38</b>	<b>642</b>
	<b>47. SYMPTOMS, SIGNS AND ABNORMAL CLINICAL AND</b>	<b>M</b>	<b>0</b>	<b>5</b>	<b>10</b>	<b>78</b>	<b>116</b>	<b>130</b>	<b>152</b>	<b>152</b>	<b>109</b>	<b>302</b>	<b>55</b>	<b>1109</b>
	<b>LABORATORY FINDINGS, NOT ELSEWHERE CLASSIFIED ( R00-R99 )</b>	<b>F</b>	<b>0</b>	<b>9</b>	<b>9</b>	<b>34</b>	<b>31</b>	<b>36</b>	<b>29</b>	<b>45</b>	<b>62</b>	<b>349</b>	<b>38</b>	<b>642</b>
<b>1</b>	Abdominal and pelvic pain ( R 10)	<b>M</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>
		<b>F</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>
<b>2</b>	Ascites ( R 18 )	<b>M</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>1</b>	<b>0</b>	<b>1</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>2</b>
		<b>F</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>1</b>	<b>0</b>	<b>1</b>
<b>3</b>	Somnolence, stupor and coma ( R40)	<b>M</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>1</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>1</b>
		<b>F</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>
<b>4</b>	Fever of unknown origin ( R50)	<b>M</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>1</b>	<b>2</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>3</b>
		<b>F</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>1</b>	<b>0</b>	<b>1</b>
<b>5</b>	Senility (R54)	<b>M</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>28</b>	<b>158</b>	<b>10</b>	<b>196</b>
		<b>F</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>26</b>	<b>208</b>	<b>11</b>	<b>245</b>
<b>6</b>	Syncope and collapse ( R55 )	<b>M</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>
		<b>F</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>
<b>7</b>	Convulsions, not elsewhere classified ( R56 )	<b>M</b>	<b>0</b>	<b>1</b>	<b>1</b>	<b>0</b>	<b>1</b>	<b>0</b>	<b>0</b>	<b>1</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>4</b>
		<b>F</b>	<b>0</b>	<b>2</b>	<b>0</b>	<b>1</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>3</b>
<b>8</b>	Shock, not elsewhere classified ( R57)	<b>M</b>	<b>0</b>	<b>0</b>	<b>1</b>	<b>0</b>	<b>1</b>	<b>1</b>	<b>4</b>	<b>12</b>	<b>8</b>	<b>7</b>	<b>0</b>	<b>34</b>

		<b>F</b>	<b>0</b>	<b>0</b>	<b>1</b>	<b>0</b>	<b>1</b>	<b>1</b>	<b>2</b>	<b>2</b>	<b>0</b>	<b>11</b>	<b>1</b>	<b>19</b>
<b>9</b>	All other symptoms, sign and abnormal clinical and laboratory findings, not elsewhere classified	<b>M</b>	<b>0</b>	<b>4</b>	<b>8</b>	<b>78</b>	<b>113</b>	<b>128</b>	<b>144</b>	<b>139</b>	<b>73</b>	<b>137</b>	<b>45</b>	<b>869</b>
	( R00-R09 , R11-R17, R19-R39.R41-R49,R51-R53,R58-R99 )	<b>F</b>	<b>0</b>	<b>7</b>	<b>8</b>	<b>33</b>	<b>30</b>	<b>35</b>	<b>27</b>	<b>43</b>	<b>36</b>	<b>128</b>	<b>26</b>	<b>373</b>
<b>XIX</b>	<b>INJURY, POISONING AND CERTAIN OTHER CONSEQUENCES OF EXTERNAL CAUSES ( S00-T98 )</b>	<b>M</b>	<b>0</b>	<b>3</b>	<b>9</b>	<b>78</b>	<b>104</b>	<b>76</b>	<b>63</b>	<b>34</b>	<b>11</b>	<b>8</b>	<b>7</b>	<b>393</b>
		<b>F</b>	<b>0</b>	<b>0</b>	<b>5</b>	<b>22</b>	<b>22</b>	<b>22</b>	<b>13</b>	<b>11</b>	<b>6</b>	<b>10</b>	<b>2</b>	<b>113</b>
	<b>48. FRACTURES ( S02,S12,S22,S32,S42,S52,S62, S72,S82,S92,T10,T12,T02,T08 )</b>	<b>M</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>1</b>	<b>1</b>	<b>1</b>	<b>0</b>	<b>1</b>	<b>0</b>	<b>0</b>	<b>4</b>
		<b>F</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>2</b>	<b>2</b>	<b>0</b>	<b>0</b>	<b>3</b>	<b>0</b>	<b>7</b>
<b>1</b>	Fracture of skull and facial bones (S02)	<b>M</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>
		<b>F</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>
<b>2</b>	Fracture of neck, thorax or pelvis ( S12,S22,S32 & T08)	<b>M</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>1</b>	<b>1</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>2</b>
		<b>F</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>2</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>1</b>	<b>0</b>	<b>3</b>
<b>3</b>	Fractures of upper limb ( S42, S52, S62 & T10 )	<b>M</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>
		<b>F</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>
<b>4</b>	Fractures of lower limb ( S72, S82, S92 & T12 )	<b>M</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>1</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>1</b>	<b>0</b>	<b>0</b>	<b>2</b>
		<b>F</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>2</b>	<b>0</b>	<b>0</b>	<b>2</b>	<b>0</b>	<b>4</b>









<b>6</b>	All other transport accidents ( V09.1, V09.9,V19, V83-V86,V89.3, V89.9 & V98-V99 )	<b>M</b>	<b>0</b>	<b>0</b>	<b>2</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>1</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>1</b>	<b>4</b>
		<b>F</b>	<b>0</b>	<b>0</b>	<b>1</b>	<b>2</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>3</b>
	<b>E 49. ACCIDENTAL FALLS (W00-W19 )</b>	<b>M</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>1</b>	<b>1</b>	<b>1</b>	<b>1</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>4</b>
		<b>F</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>1</b>	<b>0</b>	<b>0</b>	<b>1</b>
	<b>E50. ACCIDENTAL DROWNING AND SUBMERSION ( W65-W74)</b>	<b>M</b>	<b>0</b>	<b>2</b>	<b>3</b>	<b>32</b>	<b>45</b>	<b>23</b>	<b>22</b>	<b>7</b>	<b>4</b>	<b>2</b>	<b>4</b>	<b>144</b>
		<b>F</b>	<b>0</b>	<b>0</b>	<b>1</b>	<b>5</b>	<b>9</b>	<b>6</b>	<b>6</b>	<b>3</b>	<b>2</b>	<b>3</b>	<b>1</b>	<b>36</b>
	<b>E51. EXPOSURE TO SOMKE, FIRE AND FLAMES ( X00-X09)</b>	<b>M</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>1</b>	<b>1</b>	<b>1</b>	<b>1</b>	<b>1</b>	<b>2</b>	<b>0</b>	<b>0</b>	<b>7</b>
		<b>F</b>	<b>0</b>	<b>0</b>	<b>1</b>	<b>2</b>	<b>3</b>	<b>2</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>8</b>
	<b>E 52. ACCIDENTAL POISONING BY AND EXPOSURE TO NOXIOUS SUBSTANCE ( X40-X49 )</b>	<b>M</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>
		<b>F</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>
	<b>E 53. INTENTIONAL SELF-HARM ( SUICIDE- ATTEMPTED ) ( X60-X84 )</b>	<b>M</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>13</b>	<b>21</b>	<b>18</b>	<b>9</b>	<b>5</b>	<b>1</b>	<b>0</b>	<b>0</b>	<b>67</b>
		<b>F</b>	<b>0</b>	<b>0</b>	<b>1</b>	<b>7</b>	<b>5</b>	<b>6</b>	<b>0</b>	<b>1</b>	<b>1</b>	<b>1</b>	<b>0</b>	<b>22</b>
	<b>E54. ASSAULT ( HOMICIDE ) ( X85-Y09 )</b>	<b>M</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>16</b>	<b>16</b>	<b>21</b>	<b>8</b>	<b>10</b>	<b>2</b>	<b>3</b>	<b>0</b>	<b>76</b>
		<b>F</b>	<b>0</b>	<b>0</b>	<b>1</b>	<b>4</b>	<b>1</b>	<b>6</b>	<b>1</b>	<b>4</b>	<b>2</b>	<b>0</b>	<b>0</b>	<b>19</b>
	<b>E55. OTHER VIOLENCE ( Y10-Y36 )</b>	<b>M</b>	<b>0</b>	<b>0</b>	<b>2</b>	<b>5</b>	<b>2</b>	<b>2</b>	<b>7</b>	<b>5</b>	<b>1</b>	<b>1</b>	<b>0</b>	<b>25</b>
		<b>F</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>1</b>	<b>2</b>	<b>2</b>	<b>2</b>	<b>1</b>	<b>0</b>	<b>1</b>	<b>0</b>	<b>9</b>



		<b>F</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>
<b>3</b>	Bites of snakes & other venomous animals (X20-X27)	<b>M</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>1</b>	<b>1</b>	<b>1</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>3</b>
		<b>F</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>1</b>	<b>2</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>3</b>
<b>4</b>	Sun stroke (X32)	<b>M</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>
		<b>F</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>
<b>5</b>	All other accidents including late effects (W20-W23, W35-W64, W75-W99,	<b>M</b>	<b>0</b>	<b>1</b>	<b>0</b>	<b>8</b>	<b>11</b>	<b>5</b>	<b>5</b>	<b>4</b>	<b>0</b>	<b>2</b>	<b>2</b>	<b>38</b>
	X10-X15, X28-X29, X30-X31, X33-X39, X50-X59)	<b>F</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>2</b>	<b>0</b>	<b>2</b>	<b>0</b>	<b>0</b>	<b>4</b>	<b>0</b>	<b>8</b>
	<b>E58. LATE EFFECTS OF EXTERNAL CAUSES OF</b>													
	<b>MORBILITY AND MORTALITY (Y85-Y89)</b>	<b>M</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>
		<b>F</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>
	<b>ALL CAUSES (MAJOR GROUP 1 TO XIX)</b>	<b>M</b>	<b>118</b>	<b>21</b>	<b>42</b>	<b>234</b>	<b>473</b>	<b>783</b>	<b>1098</b>	<b>1392</b>	<b>887</b>	<b>2282</b>	<b>128</b>	<b>7458</b>
		<b>F</b>	<b>100</b>	<b>26</b>	<b>39</b>	<b>100</b>	<b>151</b>	<b>216</b>	<b>342</b>	<b>589</b>	<b>570</b>	<b>2496</b>	<b>97</b>	<b>4726</b>
		<b>T</b>	<b>218</b>	<b>47</b>	<b>81</b>	<b>334</b>	<b>624</b>	<b>999</b>	<b>1440</b>	<b>1981</b>	<b>1457</b>	<b>4778</b>	<b>225</b>	<b>12184</b>



**Table 11**

Months	Number of Live Births						Number of Deaths						Number of Infant Deaths					
	Rural		Urban		Total		Rural		Urban		Total		Rural		Urban		Total	
	Female	Male	Female	Male	Female	Male	Female	Male	Female	Male	Female	Male	Female	Male	Female	Male	Female	Male
1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19
<b>January</b>	369	368	503	520	872	888	344	528	134	213	478	741	11	14	1	0	12	14
<b>February</b>	328	325	559	610	887	935	271	392	102	173	373	565	5	3	2	0	7	3
<b>March</b>	360	364	556	627	916	991	242	408	118	168	360	576	7	11	1	0	8	11
<b>April</b>	383	402	568	563	951	965	235	359	113	190	348	549	10	8	1	1	11	9
<b>May</b>	289	362	595	695	884	1057	203	372	89	204	292	576	3	8	0	2	3	10
<b>June</b>	302	338	516	495	818	833	279	386	107	171	386	557	2	3	2	0	4	3
<b>July</b>	342	317	493	529	835	846	292	459	111	186	403	645	13	11	0	1	13	12
<b>August</b>	342	366	573	599	915	965	295	453	142	243	437	696	10	12	0	0	10	12
<b>September</b>	298	352	535	588	833	940	274	445	126	181	400	626	8	5	0	0	8	5
<b>October</b>	339	384	579	572	918	956	310	427	128	203	438	630	11	13	1	4	12	17
<b>November</b>	401	385	697	703	1098	1088	287	468	103	201	390	669	5	15	1	1	6	16
<b>December</b>	296	351	673	685	969	1036	319	447	102	181	421	628	6	6	0	0	6	6
<b>Total</b>	<b>4049</b>	<b>4314</b>	<b>6847</b>	<b>7186</b>	<b>10896</b>	<b>11500</b>	<b>3351</b>	<b>5144</b>	<b>1375</b>	<b>2314</b>	<b>4726</b>	<b>7458</b>	<b>91</b>	<b>109</b>	<b>9</b>	<b>9</b>	<b>100</b>	<b>118</b>

**TABLE NO 12**  
**LIVE BIRTHS BY BIRTH ORDER AND AGE OF MONTHS (YEAR 2007 )**

BIRTH ORDER	RURAL									
	AGE OF MOTHER									TOTAL
	BELOW 15 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30 -34 YEARS	35-39 YEARS	40-44 YEARS	45 AND ABOVE	AGE NOT STATED	
1	2	3	4	5	6	7	8	9	10	11
1	3	190	1209	1433	770	136	15	4	56	<b>3816</b>
2	0	12	459	1026	822	277	22	4	35	<b>2657</b>
3	0	5	173	426	301	159	29	1	21	<b>1115</b>
4	0	1	31	136	110	46	7	3	11	<b>345</b>
5	0	0	9	41	55	20	6	2	4	<b>137</b>
6	0	0	0	16	25	22	3	0	2	<b>68</b>
7	0	0	0	6	6	12	1	0	1	<b>26</b>
8	0	0	0	0	6	6	0	0	0	<b>12</b>
9	0	0	0	0	0	3	1	0	0	<b>4</b>
10	0	0	0	0	0	0	1	0	0	<b>1</b>
above 10	0	0	0	0	0	1	0	0	0	<b>1</b>
not stated	0	0	13	31	15	9	1	1	111	<b>181</b>
<b>Total</b>	<b>3</b>	<b>208</b>	<b>1894</b>	<b>3115</b>	<b>2110</b>	<b>691</b>	<b>86</b>	<b>15</b>	<b>241</b>	<b>8363</b>



**TABLE NO 12 (B)**  
**LIVE BIRTHS BY BIRTH ORDER AND AGE OF MONTHS (YEAR 200 )**

BIRTH ORDER	URBAN									
	AGE OF MOTHER									TOTAL
	BELOW 15 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30 -34 YEARS	35-39 YEARS	40-44 YEARS	45 AND ABOVE	AGE NOT STATED	
<b>1</b>	<b>2</b>	<b>3</b>	<b>4</b>	<b>5</b>	<b>6</b>	<b>7</b>	<b>8</b>	<b>9</b>	<b>10</b>	<b>11</b>
1	1	224	2179	2918	1132	239	20	2	10	<b>6725</b>
2	0	22	898	1982	1560	502	55	6	8	<b>5033</b>
3	0	4	195	585	546	271	29	4	1	<b>1635</b>
4	0	0	33	120	138	87	10	4	3	<b>395</b>
5	0	0	13	21	30	23	2	1	1	<b>91</b>
6	0	0	1	5	7	10	1	0	0	<b>24</b>
7	0	0	0	0	3	6	1	0	0	<b>10</b>
8	0	0	0	2	2	1	1	0	0	<b>6</b>
9	0	0	0	0	1	0	1	0	0	<b>2</b>
10	0	0	0	0	0	0	0	0	0	<b>0</b>
above 10	0	0	0	0	0	0	0	0	0	<b>0</b>
not stated	0	0	28	38	19	3	1	1	22	<b>112</b>
<b>Total</b>	<b>1</b>	<b>250</b>	<b>3347</b>	<b>5671</b>	<b>3438</b>	<b>1142</b>	<b>121</b>	<b>18</b>	<b>45</b>	<b>14033</b>

**TABLE NO .13. (A) RURAL**  
**LIVE BIRTHS BY BIRTH ORDER AND LITERACY OF MOTHER (YEAR - 2007 )**

PRIORITY - 2

BIRTH ORDER	RURAL					
	LEVEL OF LITERACY					
	ILLITERATE	BELOW MATRICULATE	MATRICULATE, HIGHER SECONDARY OR EQUIVALENT	GRADUATE AND ABOVE	NOT STATED	TOTAL
1	2	3	4	5	6	7
1	366	1074	1525	601	250	<b>3816</b>
2	335	850	888	351	233	<b>2657</b>
3	264	396	251	51	153	<b>1115</b>
4	118	97	37	7	86	<b>345</b>
5	70	28	3	2	34	<b>137</b>
6	37	15	0	0	16	<b>68</b>
7	12	7	0	0	7	<b>26</b>
8	10	1	0	0	1	<b>12</b>
9	3	1	0	0	0	<b>4</b>
10	1	0	0	0	0	<b>1</b>
ABOVE 10	0	0	0	0	1	<b>1</b>
NOT STATED	25	26	23	13	94	<b>181</b>
<b>Total</b>	<b>1241</b>	<b>2495</b>	<b>2727</b>	<b>1025</b>	<b>875</b>	<b>8363</b>

**TABLE NO. 13. ( B )  
LIVE BIRTHS BY BIRTHS ORDER AND LITERACY OF MOTHER (YEAR 2007)**

PRIORITY  
- 2

BIRTH ORDER	URBAN					
	LEVEL OF LITERACY					
	ILLITERATE	BELOW MATRICULATE	MATRICULATE, HIGHER SECONDARY OR EQUIVALENT	GRADUATE AND ABOVE	NOT STATED	TOTAL
1	2	3	4	5	6	7
1	248	1865	2949	1485	178	<b>6725</b>
2	322	1429	2267	845	170	<b>5033</b>
3	314	634	478	117	92	<b>1635</b>
4	100	181	58	18	38	<b>395</b>
5	26	25	27	0	13	<b>91</b>
6	10	8	1	0	5	<b>24</b>
7	5	1	0	0	4	<b>10</b>
8	3	3	0	0	0	<b>6</b>
9	0	1	0	0	1	<b>2</b>
10	0	0	0	0	0	<b>0</b>
ABOVE 10	0	0	0	0	0	<b>0</b>
NOT STATED	13	37	37	5	20	<b>112</b>
<b>Total</b>	<b>1041</b>	<b>4184</b>	<b>5817</b>	<b>2470</b>	<b>521</b>	<b>14033</b>

**TABLE NO. 14. ( A) RURAL**  
**LIVE BIRTHS BY BIRTH ORDER AND LITERACY OF FATHER (YEAR 2007 )**

PRIORITY -  
2

BIRTH ORDER	RURAL					
	LEVEL OF LITERACY					
	ILLITERATE	BELOW MATRICULATE	MATRICULATE, HIGHER SECONDARY OR EQUIVALENT	GRADUATE AND ABOVE	NOT STATED	TOTAL
1	2	3	4	5	6	7
1	298	978	1694	537	309	3816
2	222	779	1020	279	357	2657
3	193	423	288	71	140	1115
4	80	123	67	8	67	345
5	53	51	6	1	26	137
6	25	20	5	0	18	68
7	10	10	0	0	6	26
8	7	4	0	0	1	12
9	4	0	0	0	0	4
10	1	0	0	0	0	1
ABOVE 10	0	1	0	0	0	1
NOT STATED	19	42	23	11	86	181
<b>Total</b>	<b>912</b>	<b>2431</b>	<b>3103</b>	<b>907</b>	<b>1010</b>	<b>8363</b>

**TABLE NO. 14. ( B) URBAN**  
**LIVE BIRTHS BY BIRTH ORDER AND LITERACY OF FATHER (YEAR 2007 )**

PRIORITY -  
2

BIRTH ORDER	URBAN					
	LEVEL OF LITERACY					
	ILLITERATE	BELOW MATRICULATE	MATRICULATE, HIGHER SECONDARY OR EQUIVALENT	GRADUATE AND ABOVE	NOT STATED	TOTAL
1	2	3	4	5	6	7
1	206	1744	3280	1352	143	6725
2	234	1514	2387	765	133	5033
3	156	662	596	140	81	1635
4	67	172	110	14	32	395
5	13	55	16	2	5	91
6	5	13	2	0	4	24
7	5	3	0	0	2	10
8	3	2	1	0	0	6
9	0	0	1	0	1	2
10	0	0	0	0	0	0
ABOVE 10	0	0	0	0	0	0
NOT STATED	10	35	42	3	22	112
<b>Total</b>	<b>699</b>	<b>4200</b>	<b>6435</b>	<b>2276</b>	<b>423</b>	<b>14033</b>

TABLE NO 15(A)

## LIVE BIRTHS BY BIRTH ORDER AND OCCUPATION OF FATHER (YEAR 2007 ) Rural

PRIORITY - 2

BIRTH ORDER	RURAL									
	OCCUPATION GROUPS									
	PROFESSIONAL TECHNICAL & RELATED WORKERS	ADMINISTRATIVE EXECUTIVE AND MANAGERIAL WORKERS	CLERICAL WORK	SALE WORKERS	SERVICE WORKERS	FARMERS, FISHERMENS HUNTERS LOGGERS ETC AND RELATED WORKERS	PRODUCTION AND OTHER RELATED WORK TRANSPORT EQUIPMENT OPERATORS AND LABOURERS	OTHER WHOSE OCCUPATION IS NOT ELSEWHERE CLASSIFIED	NON WORKERS	TOTAL
1	2	3	4	5	6	7	8	9	10	11
1	775	15	12	11	2003	147	392	150	311	3816
2	573	18	9	12	1323	119	305	93	205	2657
3	211	2	2	0	469	71	173	31	156	1115
4	52	0	0	1	85	48	78	6	75	345
5	24	0	0	0	15	20	24	1	53	137
6	14	0	0	0	6	9	7	2	30	68
7	2	0	0	0	0	5	2	0	17	26
8	0	0	0	0	0	3	2	0	7	12
9	0	0	0	0	0	2	0	0	2	4
10	0	0	0	0	0	1	0	0	0	1
ABOVE 10	0	0	0	0	0	0	1	0	0	1
NOT STATED	23	0	0	5	43	9	16	4	81	181
<b>Total</b>	<b>1674</b>	<b>35</b>	<b>23</b>	<b>29</b>	<b>3944</b>	<b>434</b>	<b>1000</b>	<b>287</b>	<b>937</b>	<b>8363</b>

TABLE NO 15(B)

## LIVE BIRTHS BY BIRTH ORDER AND OCCUPATION OF FATHER (YEAR 2007 ) URBAN

PRIORITY - 2

BIRTH ORDER	URBAN									
	OCCUPATION GROUPS									
	PROFESSIONAL TECHNICAL & RELATED WORKERS	ADMINISTRATIVE EXECUTIVE AND MANAGERIAL WORKERS	CLERICAL WORK	SALE WORKERS	SERVICE WORKERS	FARMERS, FISHERMENS HUNTERS LOGGERS ETC AND RELATED WORKERS	PRODUCTION AND OTHER RELATED WORK TRANSPORT EQUIPMENT OPERATORS AND LABOURERS	OTHER WHOSE OCCUPATION IS NOT ELSEWHERE CLASSIFIED	NON WORKERS	TOTAL
1	2	3	4	5	6	7	8	9	10	11
1	1718	58	20	34	3972	207	510	77	129	<b>6725</b>
2	1279	31	13	9	2887	162	438	69	145	<b>5033</b>
3	444	0	5	7	775	88	251	21	44	<b>1635</b>
4	113	0	0	3	147	41	70	5	16	<b>395</b>
5	20	1	0	0	50	6	10	0	4	<b>91</b>
6	6	0	0	0	3	5	5	0	5	<b>24</b>
7	2	0	0	0	5	0	0	0	3	<b>10</b>
8	2	0	0	0	2	0	2	0	0	<b>6</b>
9	1	0	0	0	1	0	0	0	0	<b>2</b>
10	0	0	0	0	0	0	0	0	0	<b>0</b>
ABOVE 10	0	0	0	0	0	0	0	0	0	<b>0</b>
NOT STATED	23	0	1	0	46	6	9	2	25	<b>112</b>
<b>Total</b>	<b>3608</b>	<b>90</b>	<b>39</b>	<b>53</b>	<b>7888</b>	<b>515</b>	<b>1295</b>	<b>174</b>	<b>371</b>	<b>14033</b>

**TABLE NO. 16. ( RURAL )****LIVE BIRTHS BY BIRTH ORDER AND FATHERS RELIGION (YEAR 2007 )**

<b>BIRTH ORDER</b>	<b>HINDU</b>	<b>CHRISTIAN</b>	<b>MUSLIM</b>	<b>OTHER</b>	<b>TOTAL</b>
<b>1</b>	2723	623	400	70	<b>3816</b>
<b>2</b>	1820	529	271	37	<b>2657</b>
<b>3</b>	759	167	167	22	<b>1115</b>
<b>4</b>	252	36	53	4	<b>345</b>
<b>5</b>	104	17	15	1	<b>137</b>
<b>6</b>	57	6	5	0	<b>68</b>
<b>7</b>	22	0	4	0	<b>26</b>
<b>8</b>	11	0	1	0	<b>12</b>
<b>9</b>	3	1	0	0	<b>4</b>
<b>10</b>	0	1	0	0	<b>1</b>
<b>ABOVE 10</b>	1	0	0	0	<b>1</b>
<b>NOT STATED</b>	128	28	6	19	<b>181</b>
<b>TOTAL</b>	<b>5880</b>	<b>1408</b>	<b>922</b>	<b>153</b>	<b>8363</b>



**TABLE NO. 16. ( URBAN )****LIVE BIRTHS BY BIRTH ORDER AND FATHERS RELIGION (YEAR 2007 )**

<b>BIRTH ORDER</b>	<b>HINDU</b>	<b>CHRISTIAN</b>	<b>MUSLIM</b>	<b>OTHER</b>	<b>TOTAL</b>
<b>1</b>	4339	1787	586	13	<b>6725</b>
<b>2</b>	3015	1438	569	11	<b>5033</b>
<b>3</b>	912	474	249	0	<b>1635</b>
<b>4</b>	241	55	99	0	<b>395</b>
<b>5</b>	67	14	10	0	<b>91</b>
<b>6</b>	14	1	8	1	<b>24</b>
<b>7</b>	7	2	1	0	<b>10</b>
<b>8</b>	2	0	4	0	<b>6</b>
<b>9</b>	2	0	0	0	<b>2</b>
<b>10</b>	0	0	0	0	<b>0</b>
<b>ABOVE 10</b>	0	0	0	0	<b>0</b>
<b>NOT STATED</b>	83	16	11	2	<b>112</b>
<b>TOTAL</b>	<b>8682</b>	<b>3787</b>	<b>1537</b>	<b>27</b>	<b>14033</b>

**Table No. 17**  
**DEATHS BY OCCUPATION AND SEX ( Year -2007 )**

PRIORITY - 2

Rural/Urban	Sex	Occupation Group									TOTAL
		Professional & Technical Related workers	Administrative executive Managerial workers	Clerical workers	Sales workers	Service workers	Framers, Fisherman, Hunters & Loggers, Related workers	Production & other workers transport equipments & labourers	Other whose occupation is not elsewhere classified	Non-workers	
1	2	3	4	5	6	7	8	9	10	11	12
RURAL	MALES	212	0	1	5	382	165	303	6	4070	5144
	FEMALES	8	0	0	0	13	7	20	2	3301	3351
URBAN	MALES	182	1	1	4	189	51	125	6	1755	2314
	FEMALES	4	0	0	0	14	4	6	0	1347	1375
STATE	MALES	394	1	2	9	571	216	428	12	5825	7458
TOTAL	FEMALES	12	0	0	0	27	11	26	2	4648	4726

TABLE NO.18

Priority -  
2

AGE/SEX	Rural			Urban			ALL AREAS		
	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL
<b>BELOW ONE WEEK</b>	68	58	126	0	0	0	68	58	126
<b>ABOVE ONE WEEK BUT BELOW ONE MONTH</b>	18	17	35	3	4	7	21	21	42
<b>ABOVE ONE MONTH BUT BELOW THREE MONTHS</b>	9	10	19	1	3	4	10	13	23
<b>ABOVE THREE MONTHS BUT BELOW SIX MONTHS</b>	10	3	13	3	2	5	13	5	18
<b>ABOVE SIX MONTHS BUT BELOW ONE YEAR</b>	4	3	7	2	0	2	6	3	9
<b>TOTAL</b>	<b>109</b>	<b>91</b>	<b>200</b>	<b>9</b>	<b>9</b>	<b>18</b>	<b>118</b>	<b>100</b>	<b>218</b>

**TABLE NO. 19  
MATERNAL DEATHS BY AGE ( YEAR -2007 )**

		URBAN		TOTAL FOR ALL AREAS
AGE	RURAL	TOWNS WITH POPULATION 30,000 AND ABOVE	ALL OTHER URBAN AREAS	
1	2	3	4	5
BELOW 15	0	0	0	0
15-19	0	0	0	0
20-24	0	0	0	0
25-29	0	0	0	0
30-34	1	0	0	1
25-30	0	0	0	0
30-35	0	0	0	0
35-39	1	0	0	1
40-44	0	0	0	0
45 AND ABOVE	0	0	0	0
AGE NOT STATED	0	0	0	0
<b>ALL AGES TOTAL</b>	<b>2</b>	<b>0</b>	<b>0</b>	<b>2</b>



